


NOTES:

- 1) MATERIAL: AISI 304/316 SS TUBE ϕ 0.500 X 0.035 WALL PER ASTM A213/A269 OR ASME A213 (REF DART SPEC. M304TR0500W.035)
- 2) FINISH: POWDER COAT "BLACK SANDTEX" (4.3.5.7) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3646-X" USING REMOVABLE TAG
- 7) WEIGHT: 0.38 lbs
- 8) DELETED AT REV. C
- 9) PUNCH BOTH ENDS PER SPEC CONTROL DWG D2727

PRELIMINARY C1
11.07.11 AJS


PC1	PRELIMINARY		AJS	07.06.06
REV.	DESCRIPTION		BY	DATE
DESIGN	MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
DRAWN	AJS			
CHECKED		DRAWING NO.		REV. PC1
MFG. APPR.		D3646		SHEET 1 OF 3
APPROVED		TITLE		SCALE
DE APPR.		ARM		NTS
DATE	11.07.11	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.		



- NOTES:
- 1) MATERIAL: AISI 304/316 SS TUBE ϕ 0.500 X 0.035 WALL PER ASTM A213/A269 OR ASME A213 (REF DART SPEC. M304TR0500W.035)
 - 2) FINISH: POWDER COAT "BLACK SANDTEX" (4.3.5.7) PER DART QSI 005 4.3
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3646-3" USING REMOVABLE TAG
 - 7) WEIGHT: 0.57 lbs
 - 8) DELETED AT REV C.
 - 9) PUNCH BOTH ENDS PER SPEC CONTROL DWG D2727

PRELIMINARY C1
11.07.11 AJS

DESIGN	MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED		DRAWING NO. D3646	REV. PC1
MFG. APPR.			SHEET 2 OF 3
APPROVED		TITLE ARM	SCALE NTS
DE APPR.		COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	11.07.11		



NOTES:
1) MATERIAL: AISI 304/316 SS TUBE $\varnothing 0.500 \times 0.035$ WALL PER ASTM A213/A269 OR ASME A213 (REF DART SPEC. M304TR0500W.035)
2) FINISH: POWDER COAT "BLACK SANDTEX" (4.3.5.7) PER DART QSI 005 4.3
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3646-4" USING REMOVABLE TAG
7) WEIGHT: 0.57 lbs
8) DELETED AT REV C.
9) PUNCH BOTH ENDS PER SPEC CONTROL DWG D2727

PRELIMINARY C1
11.07.11 AJS

DESIGN	MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED		DRAWING NO. D3646	REV. PC1 SHEET 3 OF 3
MFG. APPR.		TITLE ARM	SCALE NTS
APPROVED		COPYRIGHT © 2007 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	
DE APPR.			
DATE	11.07.11		